

# Safety Data Sheet



## Bayfidan® Turf Fungicide

Version 1 / AUS  
102000006929

1/10  
Revision Date: 19.09.2016  
Print Date: 19.09.2016

### SECTION 1: IDENTIFICATION OF THE MATERIAL AND SUPPLIER

#### 1.1 Product identifier

**Trade name** Bayfidan® Turf Fungicide  
**Product code (UVP)** 04902750

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

**Use** Fungicide

#### 1.3 Details of the supplier of the safety data sheet

**Supplier** Bayer Cropscience Pty Ltd  
ABN 87 000 226 022  
Level 1, 8 Redfern Road  
3123 Hawthorn East  
Victoria  
Australia

**Telephone** (03) 9248 6888

**Telefax** (03) 9248 6800

**Responsible Department** 1800 804 479 Technical Information Service

**Website** [www.environmentalscience.bayer.com.au](http://www.environmentalscience.bayer.com.au)

#### 1.4 Emergency telephone no.

**Emergency telephone no.** 1800 033 111 IXOM Operations Pty Ltd

### SECTION 2. HAZARDS IDENTIFICATION

#### 2.1 Classification of the substance or mixture

##### Classification in accordance with Australian GHS Regulation

Reproductive toxicity: Category 1B  
H360 May damage fertility or the unborn child.

Specific target organ toxicity - single exposure: Category 3  
H335 May cause respiratory irritation.

Chronic aquatic toxicity: Category 3  
H412 Harmful to aquatic life with long lasting effects.

#### 2.2 Label elements

Hazard label for supply/use required.

##### Hazardous components which must be listed on the label:

Triadimenol  
N-Methyl-2-pyrrolidone

**Signal word:** Danger

##### Hazard statements

H360 May damage fertility or the unborn child.  
H335 May cause respiratory irritation.



## Bayfidan® Turf Fungicide

Version 1 / AUS  
102000006929

2/10  
Revision Date: 19.09.2016  
Print Date: 19.09.2016

### Precautionary statements

- P202 Do not handle until all safety precautions have been read and understood.
- P261 Avoid breathing mist.
- P271 Use only outdoors or in a well-ventilated area.
- P281 Use personal protective equipment as required.
- P304 + P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.
- P312 Call a POISON CENTER/doctor/physician if you feel unwell.
- P308 + P313 IF exposed or concerned: Get medical advice/ attention.
- P405 Store locked up.
- P501 Dispose of contents/container in accordance with local regulation.

### 2.3 Other hazards

No other hazards known.

### SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

#### Chemical nature

Triadimenol 250 g/l  
Chemical nature Emulsifiable concentrate (EC)

Chemical Name	CAS-No.	Concentration [%]
Triadimenol	55219-65-3	22.90
N-Methyl-2-pyrrolidone	872-50-4	> 20.00
Alkylaryl/polyglycol ether	104376-75-2	> 1.00 - < 25.00
Other ingredients (non-hazardous) to 100%		

### SECTION 4. FIRST AID MEASURES

**If poisoning occurs, immediately contact a doctor or Poisons Information Centre (telephone 13 11 26), and follow the advice given. Show this Safety Data Sheet to the doctor.**

#### 4.1 Description of first aid measures

- Inhalation** Move to fresh air. Keep patient warm and at rest. Call a physician or poison control center immediately.
- Skin contact** Wash off thoroughly with plenty of soap and water, if available with polyethyleneglycol 400, subsequently rinse with water. Call a physician or poison control center immediately.
- Eye contact** Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a physician or poison control center immediately.
- Ingestion** Do NOT induce vomiting. Call a physician or poison control center immediately. Rinse mouth. Do not induce vomiting or give anything by mouth to an unconscious person.

#### 4.2 Most important symptoms and effects, both acute and delayed



## Bayfidan® Turf Fungicide

Version 1 / AUS  
102000006929

3/10

Revision Date: 19.09.2016  
Print Date: 19.09.2016

**Symptoms** Symptoms and hazards refer to the solvent., Headache, Blurred vision, Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhoea., Aspiration may cause pulmonary oedema and pneumonitis.

### 4.3 Indication of any immediate medical attention and special treatment needed

**Treatment** Treat symptomatically. Gastric lavage is not normally required. However, if a significant amount (more than a mouthful) has been ingested, administer activated charcoal and sodium sulphate. Watch for pulmonary edema, which may develop in serious cases of poisoning even after 24-48 hours. At first sign of pulmonary edema, the patient should be placed in an oxygen tent and treated symptomatically.

## SECTION 5. FIRE FIGHTING MEASURES

### 5.1 Extinguishing media

**Suitable** Water spray, Carbon dioxide (CO<sub>2</sub>), Foam, Sand

**5.2 Special hazards arising from the substance or mixture** In the event of fire the following may be released:, Hydrogen chloride (HCl), Hydrogen cyanide (hydrocyanic acid), Carbon monoxide (CO), Nitrogen oxides (NO<sub>x</sub>)

### 5.3 Advice for firefighters

**Special protective equipment for firefighters** In the event of fire and/or explosion do not breathe fumes. In the event of fire, wear self-contained breathing apparatus.

**Further information** Avoid contact with spilled product or contaminated surfaces. Contain the spread of the fire-fighting media. Do not allow run-off from fire fighting to enter drains or water courses. Whenever possible, contain fire-fighting water by diking area with sand or earth. Remove product from areas of fire, or otherwise cool containers with water in order to avoid pressure being built up due to heat.

**Hazchem Code** Not applicable

## SECTION 6. ACCIDENTAL RELEASE MEASURES

### 6.1 Personal precautions, protective equipment and emergency procedures

**Precautions** Avoid contact with spilled product or contaminated surfaces. Use personal protective equipment.

**6.2 Environmental precautions** Contain contaminated water and fire fighting water. Do not allow to get into surface water, drains and ground water. If the product contaminates rivers and lakes or drains inform respective authorities.



**Bayfidan® Turf Fungicide**

Version 1 / AUS  
10200006929

4/10

Revision Date: 19.09.2016  
Print Date: 19.09.2016

**6.3 Methods and materials for containment and cleaning up**

**Methods for cleaning up** Clean contaminated floors and objects thoroughly, observing environmental regulations. Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Keep in suitable, closed containers for disposal. Collect and transfer the product into a properly labelled and tightly closed container. Decontaminate tools and equipment following cleanup.

**SECTION 7. HANDLING AND STORAGE**

**7.1 Precautions for safe handling**

**Advice on safe handling** Use only in area provided with appropriate exhaust ventilation.

**Advice on protection against fire and explosion** Keep away from heat and sources of ignition. Vapours are heavier than air and may spread along floors.

**Hygiene measures** After each day's use, wash gloves, face shield or goggles and contaminated clothing. Avoid contact with skin, eyes and clothing. Keep working clothes separately. Remove soiled clothing immediately and clean thoroughly before using again. Garments that cannot be cleaned must be destroyed (burnt). Wash hands before breaks and immediately after handling the product.

**7.2 Conditions for safe storage, including any incompatibilities**

**Requirements for storage areas and containers** Keep out of the reach of children. Store in a place accessible by authorized persons only. Store in original container. Keep containers tightly closed in a dry, cool and well-ventilated place. Keep away from direct sunlight.

**Advice on common storage** Keep away from food, drink and animal feedingstuffs.

**SECTION 8. EXPOSURE CONTROLS / PERSONAL PROTECTION**

**8.1 Control parameters**

Components	CAS-No.	Control parameters	Update	Basis
N-Methyl-2-pyrrolidone	872-50-4	309 mg/m <sup>3</sup> /75 ppm (STEL)	12 2011	AU NOEL
N-Methyl-2-pyrrolidone	872-50-4	103 mg/m <sup>3</sup> /25 ppm (TWA)	12 2011	AU NOEL
N-Methyl-2-pyrrolidone	872-50-4	19 ppm (TWA <sub>EV</sub> )		OES BCS*

\*OES BCS: Internal Bayer CropScience "Occupational Exposure Standard"

**8.2 Exposure controls**

**Respiratory protection** If product is handled while not enclosed, and if contact may occur: Wear a compressed air respirator (continuous flow) conforming to European norm EN14594 or EN14563-1 or equivalent or an organic gas and vapour filter mask (protection factor 20) conforming to EN136 Type A filter or equivalent.



**Bayfidan® Turf Fungicide**

Version 1 / AUS  
102000006929

5/10

Revision Date: 19.09.2016  
Print Date: 19.09.2016

<b>Respiratory protection</b>	Respiratory protection should only be used to control residual risk of short duration activities, when all reasonably practicable steps have been taken to reduce exposure at source e.g. containment and/or local extract ventilation. Always follow respirator manufacturer's instructions regarding wearing and maintenance. Filter A or self-contained breathing apparatus
<b>Eye protection</b>	Wear goggles (conforming to EN166, Field of Use = 5 or equivalent).
<b>Skin and body protection</b>	Wear standard coveralls and Category 3 Type 6 suit. If there is a risk of significant exposure, consider a higher protective type suit. Wear two layers of clothing wherever possible. Polyester/cotton or cotton overalls should be worn under chemical protection suit and should be professionally laundered frequently. If chemical protection suit is splashed, sprayed or significantly contaminated, decontaminate as far as possible, then carefully remove and dispose of as advised by manufacturer.
<b>General protective measures</b>	In normal use and handling conditions please refer to the label and/or leaflet. In all other cases the above mentioned recommendations would apply.
<b>Engineering Controls</b>	
<b>Advice on safe handling</b>	Use only in area provided with appropriate exhaust ventilation.

**SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES**

**9.1 Information on basic physical and chemical properties**

<b>Form</b>	Liquid, clear
<b>Colour</b>	light brown
<b>Odour</b>	aromatic
<b>pH</b>	6.0 - 8.0 at 1 % (23 °C) (deionized water)
<b>Flash point</b>	93 °C
<b>Upper explosion limit</b>	9.5 %(V) The data refer to the solvent.
<b>Lower explosion limit</b>	1.3 %(V) The data refer to the solvent.
<b>Vapour pressure</b>	0.32 mbar at 20 °C The data refer to the solvent.
<b>Relative vapour density</b>	3.4 The data refer to the solvent.
<b>Density</b>	ca. 1.09 g/cm <sup>3</sup> at 20 °C
<b>Water solubility</b>	emulsifiable
<b>Partition coefficient: n-octanol/water</b>	Triadimenol: log Pow: 3.08 - 3.28 N-methyl-2-pyrrolidone: log Pow: -0.46 at 25 °C



**Bayfidan® Turf Fungicide**

Version 1 / AUS  
10200006929

6/10  
Revision Date: 19.09.2016  
Print Date: 19.09.2016

**SECTION 10. STABILITY AND REACTIVITY**

**10.1 Reactivity**

**Thermal decomposition** Stable under normal conditions.

**10.2 Chemical stability** Stable under recommended storage conditions.

**10.3 Possibility of hazardous reactions** No dangerous reaction known under conditions of normal use. Stable under normal conditions.  
Strong exothermic reaction with acids.  
Violent exothermic reaction with bases.

**10.4 Conditions to avoid** Extremes of temperature and direct sunlight.

**10.5 Incompatible materials** Acids, Bases, Oxidizing agents, Reducing agents

**10.6 Hazardous decomposition products** No decomposition products expected under normal conditions of use.

**SECTION 11. TOXICOLOGICAL INFORMATION**

**11.1 Information on toxicological effects**

**Acute oral toxicity** LD50 (Rat) > 2,000 mg/kg  
Test conducted with a similar formulation.

**Acute inhalation toxicity** LC50 (Rat) > 0.412 mg/l  
Determined in the form of a respirable aerosol.  
Highest attainable concentration.  
Test conducted with a similar formulation.

**Acute dermal toxicity** LD50 (Rat) > 5,000 mg/kg  
Test conducted with a similar formulation.

**Skin irritation** No skin irritation (Rabbit)  
Test conducted with a similar formulation.

**Eye irritation** Slight irritant effect - does not require labelling. (Rabbit)  
Test conducted with a similar formulation.

**Sensitisation** Non-sensitizing.  
The value mentioned relates to the active ingredient triadimenol.

**Assessment mutagenicity**

Triadimenol was not mutagenic or genotoxic in a battery of in vitro and in vivo tests.  
N-methyl-2-pyrrolidone was not mutagenic or genotoxic in a battery of in vitro and in vivo tests.

**Assessment carcinogenicity**

Triadimenol caused at high dose levels an increased incidence of tumours in mice in the following organ(s): Liver. The increased tumour incidence is not considered to be treatment related.  
N-methyl-2-pyrrolidone was not carcinogenic in lifetime feeding studies in rats and mice.

**Assessment toxicity to reproduction**



## Bayfidan® Turf Fungicide

Version 1 / AUS  
102000006929

7/10  
Revision Date: 19.09.2016  
Print Date: 19.09.2016

Triadimenol caused reduced fertility, reduced lactation rate. The reproduction toxicity seen with Triadimenol is related to parental toxicity.

N-methyl-2-pyrrolidone caused reproduction toxicity in a two-generation study in rats only at dose levels also toxic to the parent animals. N-methyl-2-pyrrolidone caused a reduced pup survival, a reduced litter size and a reduced pup weight.

### Assessment developmental toxicity

Triadimenol caused developmental toxicity only at dose levels toxic to the dams. The developmental effects seen with Triadimenol are related to maternal toxicity.

N-methyl-2-pyrrolidone caused developmental toxicity only at dose levels toxic to the dams. N-methyl-2-pyrrolidone caused a reduced pup survival.

### Assessment STOT Specific target organ toxicity – repeated exposure

Triadimenol did not cause specific target organ toxicity in experimental animal studies.

N-methyl-2-pyrrolidone caused specific target organ toxicity in experimental animal studies in the following organ(s): Testes.

### Aspiration hazard

Based on available data, the classification criteria are not met.

### Information on likely routes of exposure

Harmful if inhaled., May cause upper respiratory tract irritation.

Irritating to skin., The product may be absorbed through the skin., Prolonged skin contact may cause skin irritation and/or dermatitis.

Causes eye irritation., Liquid or vapor may cause irritation, burns, corneal opacity.

Harmful if swallowed.

### Early onset symptoms related to exposure

Refer to Section 4

### Delayed health effects from exposure

Refer to Section 11

### Exposure levels and health effects

Refer to Section 4

### Interactive effects

Not known

### When specific chemical data is not available

Not applicable

### Mixture of chemicals

Refer to Section 2.1

### Further information

No further toxicological information is available.

## SECTION 12. ECOLOGICAL INFORMATION

### 12.1 Toxicity



## Bayfidan® Turf Fungicide

Version 1 / AUS  
102000006929

8/10  
Revision Date: 19.09.2016  
Print Date: 19.09.2016

<b>Toxicity to fish</b>	LC50 (Oncorhynchus mykiss (rainbow trout)) 42 mg/l Exposure time: 96 h
<b>Chronic toxicity to fish</b>	Pimephales promelas (fathead minnow) NOEC: 0.17 mg/l The value mentioned relates to the active ingredient triadimenol.
<b>Toxicity to aquatic invertebrates</b>	EC50 (Daphnia magna (Water flea)) 253 mg/l Exposure time: 48 h
<b>Toxicity to aquatic plants</b>	IC50 (Raphidocelis subcapitata (freshwater green alga)) 41.13 mg/l Growth rate; Exposure time: 72 h
<b>Toxicity to other organisms</b>	LD50 (Colinus virginianus (Bobwhite quail)) > 2,000 mg/kg The value mentioned relates to the active ingredient triadimenol.

### 12.2 Persistence and degradability

<b>Biodegradability</b>	Triadimenol: Not rapidly biodegradable N-methyl-2-pyrrolidone: rapidly biodegradable
-------------------------	---

**Koc** Triadimenol: Koc: 273

### 12.3 Bioaccumulative potential

<b>Bioaccumulation</b>	Triadimenol: Bioconcentration factor (BCF) 21 Does not bioaccumulate. N-methyl-2-pyrrolidone: Bioconcentration factor (BCF) 3.16 Does not bioaccumulate.
------------------------	---

### 12.4 Mobility in soil

<b>Mobility in soil</b>	Triadimenol: Moderately mobile in soils N-methyl-2-pyrrolidone: Highly mobile in soils
-------------------------	---

### 12.5 Other adverse effects

<b>Additional ecological information</b>	Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment. No other effects to be mentioned.
--	--

## SECTION 13. DISPOSAL CONSIDERATIONS

Small containers (1 L/1 kg or less):

Rinse containers before disposal. Add rinsings to spray tank. Do not dispose of undiluted chemicals on site. Dispose of at a local authority landfill. If no landfill is available, bury the containers below 500 mm in a disposal pit specifically marked and set up for this purpose clear of waterways, desirable vegetation and tree roots. Empty containers and product should not be burnt.

5, 10, 20 litre packs

Metal drums and plastic containers:

Triple or preferably pressure rinse containers before disposal. Add rinsings to spray tank. Do not dispose of undiluted chemicals on site. If recycling, replace cap and return clean containers to recycler or designated collection point. If not recycling, break, crush or puncture and bury empty containers in a local authority landfill. If no landfill is available, bury the containers below 500 mm in a disposal pit specifically marked and set up for this purpose clear of waterways, desirable vegetation and tree roots. Empty containers and product should not be burnt.





## Bayfidan® Turf Fungicide

Version 1 / AUS  
102000006929

9/10  
Revision Date: 19.09.2016  
Print Date: 19.09.2016

### SECTION 14. TRANSPORT INFORMATION

According to national and international transport regulations not classified as dangerous goods.

### SECTION 15. REGULATORY INFORMATION

Registered according to the Agricultural and Veterinary Chemicals Code Act 1994  
Australian Pesticides and Veterinary Medicines Authority approval number: 30676

#### SUSMP classification (Poison Schedule)

Schedule 6 (Standard for the Uniform Scheduling of Medicines and Poisons)

### SECTION 16. OTHER INFORMATION

**Trademark information** Bayfidan® is a registered trademark of the Bayer Group.

This SDS summarises our best knowledge of the health and safety hazard information of the product and how to safely handle and use the product in the workplace. Each user should read this SDS and consider the information in the context of how the product will be handled and used in the workplace including in conjunction with other products.

If clarification or further information is needed to ensure that an appropriate risk assessment can be made, the user should contact this company.

Our responsibility for products sold is subject to our standard terms and conditions, a copy of which is sent to our customers and is also available on request.

#### Abbreviations and acronyms

ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road
ATE	Acute toxicity estimate
AU OEL	Australia. OELs. (Adopted National Exposure Standards for Atmospheric Contaminants in the Occupational Environment)
CAS-Nr.	Chemical Abstracts Service number
CEILING	Ceiling Limit Value
Conc.	Concentration
EC-No.	European community number
ECx	Effective concentration to x %
EINECS	European inventory of existing commercial substances
ELINCS	European list of notified chemical substances
EN	European Standard
EU	European Union
IATA	International Air Transport Association
IBC	International Code for the Construction and Equipment of Ships Carrying Dangerous Chemicals in Bulk (IBC Code)



## Bayfidan® Turf Fungicide

Version 1 / AUS  
102000006929

10/10  
Revision Date: 19.09.2016  
Print Date: 19.09.2016

ICx	Inhibition concentration to x %
IMDG	International Maritime Dangerous Goods
LCx	Lethal concentration to x %
LDx	Lethal dose to x %
LOEC/LOEL	Lowest observed effect concentration/level
MARPOL	MARPOL: International Convention for the prevention of marine pollution from ships
N.O.S.	Not otherwise specified
NOEC/NOEL	No observed effect concentration/level
OECD	Organization for Economic Co-operation and Development
OES BCS	OES BCS: Internal Bayer CropScience "Occupational Exposure Standard"
PEAK	PEAK: Exposure Standard - Peak means a maximum or peak airborne concentration of a particular substance determined over the shortest analytically practicable period of time which does not exceed 15 minutes.
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail
SK-SEN	Skin sensitiser
SKIN_DES	SKIN_DES: Skin notation: Absorption through the skin may be a significant source of exposure.
STEL	STEL: Exposure standard - short term exposure limit (STEL): A 15 minute TWA exposure which should not be exceeded at any time during a working day even if the eight-hour TWA average is within the TWA exposure standard. Exposures at the STEL should not be longer than 15 minutes and should not be repeated more than four times per day. There should be at least 60 minutes between successive exposures at the STEL.
TWA	TWA: Exposure standard - time-weighted average (TWA): The average airborne concentration of a particular substance when calculated over a normal eight-hour working day, for a five-day working week.
TWA	Time weighted average
UN	United Nations
WHO	World health organisation

Changes since the last version are highlighted in the margin. This version replaces all previous versions.

END OF SDS