



Chipco® GT Fungicide

Version 1 / AUS
102000016226

1/11
Revision Date: 25.10.2016
Print Date: 25.10.2016

SECTION 1: IDENTIFICATION OF THE MATERIAL AND SUPPLIER

1.1 Product identifier

Trade name Chipco® GT Fungicide
Product code (UVP) 06083632

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use Fungicide
Restrictions on use See product label for restrictions.

1.3 Details of the supplier of the safety data sheet

Supplier Bayer Cropscience Pty Ltd
ABN 87 000 226 022
Level 1, 8 Redfern Road
3123 Hawthorn East
Victoria
Australia

Telephone (03) 9248 6888
Telefax (03) 9248 6800
Responsible Department 1800 804 479 Technical Information Service
Website www.environmentalscience.bayer.com.au

1.4 Emergency telephone no.

Emergency telephone no. 1800 033 111 IXOM Operations Pty Ltd

SECTION 2. HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture

Classification in accordance with Australian GHS Regulation

Aspiration hazard: Category 1
H304 May be fatal if swallowed and enters airways.

Carcinogenicity: Category 2
H351 Suspected of causing cancer.

Acute aquatic toxicity: Category 1
H400 Very toxic to aquatic life.

Chronic aquatic toxicity: Category 1
H410 Very toxic to aquatic life with long lasting effects.

2.2 Label elements

Hazard label for supply/use required.

Hazardous components which must be listed on the label:

Iprodione
Distillates (petroleum), solvent-refined light paraffinic

Signal word: Danger



Chipco® GT Fungicide

Version 1 / AUS
102000016226

2/11
Revision Date: 25.10.2016
Print Date: 25.10.2016

Hazard statements

H304 May be fatal if swallowed and enters airways.
H351 Suspected of causing cancer.
H400 Very toxic to aquatic life.
H410 Very toxic to aquatic life with long lasting effects.

Precautionary statements

P201 Obtain special instructions before use.
P202 Do not handle until all safety precautions have been read and understood.
P281 Use personal protective equipment as required.
P301 + P310 IF SWALLOWED: Immediately call a POISON CENTER/doctor/ physician.
P308 + P313 IF exposed or concerned: Get medical advice/ attention.
P331 Do NOT induce vomiting.
P405 Store locked up.
P501 Dispose of contents/container in accordance with local regulation.

2.3 Other hazards

No other hazards known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical nature

Iprodione 240 g/L, Liquid Hydrocarbons 333 g/L

Chemical nature Suspension concentrate (=flowable concentrate)(SC)

Chemical Name	CAS-No.	Concentration [%]
Iprodione	36734-19-7	23.30
1,2-Propanediol	57-55-6	>= 1.00 - <= 5.00
Distillates (petroleum), solvent-refined light paraffinic	64741-89-5	>= 30.00 - <= 35.00
1,2-Benzisothiazol-3(2H)-one	2634-33-5	<= 0.05
Other ingredients (non-hazardous) to 100%		

SECTION 4. FIRST AID MEASURES

If poisoning occurs, immediately contact a doctor or Poisons Information Centre (telephone 13 11 26), and follow the advice given. Show this Safety Data Sheet to the doctor.

4.1 Description of first aid measures

General advice

When possible, have the product container or label with you when calling a poison control center or doctor or going for treatment.

Inhalation

Move to fresh air. In case of respiratory arrest induce breathing with a respiratory device. Seek medical advice. Call a physician or poison control center immediately.



Chipco® GT Fungicide

Version 1 / AUS
102000016226

3/11
Revision Date: 25.10.2016
Print Date: 25.10.2016

Skin contact	Wash off thoroughly with plenty of soap and water, if available with polyethyleneglycol 400, subsequently rinse with water. If symptoms persist, call a physician.
Eye contact	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Get medical attention if irritation develops and persists.
Ingestion	Call a physician or poison control center immediately. Rinse out mouth and give water in small sips to drink. DO NOT induce vomiting unless directed to do so by a physician or poison control center. Never give anything by mouth to an unconscious person. Do not leave victim unattended.
4.2 Most important symptoms and effects, both acute and delayed	
Symptoms	To date no symptoms are known.
4.3 Indication of any immediate medical attention and special treatment needed	
Risks	Contains hydrocarbon solvents. May pose an aspiration pneumonia hazard.
Treatment	Appropriate supportive and symptomatic treatment as indicated by the patient's condition is recommended. There is no specific antidote.

SECTION 5. FIRE FIGHTING MEASURES

5.1 Extinguishing media

Suitable Carbon dioxide (CO₂), Dry chemical, Foam, Water spray

Unsuitable None known.

5.2 Special hazards arising from the substance or mixture Dangerous gases are evolved in the event of a fire.

5.3 Advice for firefighters

Special protective equipment for firefighters Firefighters should wear NIOSH approved self-contained breathing apparatus and full protective clothing.

Further information Avoid contact with spilled product or contaminated surfaces. Keep out of smoke. Do not allow run-off from fire fighting to enter drains or water courses. Remove product from areas of fire, or otherwise cool containers with water in order to avoid pressure being built up due to heat. Whenever possible, contain fire-fighting water by diking area with sand or earth.

Hazchem Code •3Z



Chipco® GT Fungicide

Version 1 / AUS
102000016226

4/11

Revision Date: 25.10.2016
Print Date: 25.10.2016

SECTION 6. ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures

Precautions Keep unauthorized people away. Isolate hazard area. Avoid contact with spilled product or contaminated surfaces.

6.2 Environmental precautions Do not apply directly to water, to areas where surface water is present or to intertidal areas below the mean high water mark. Drift and runoff from treated areas may be hazardous to aquatic organisms in adjacent sites. Do not contaminate surface or ground water by cleaning equipment or disposal of wastes, including equipment wash water.

6.3 Methods and materials for containment and cleaning up

Methods for cleaning up Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Collect and transfer the product into a properly labelled and tightly closed container. Clean contaminated floors and objects thoroughly, observing environmental regulations.

Additional advice Use personal protective equipment. If material is accidentally spilled, do not allow to enter soil, waterways or waste water canal.

6.4 Reference to other sections Information regarding safe handling, see section 7.
Information regarding personal protective equipment, see section 8.
Information regarding waste disposal, see section 13.

SECTION 7. HANDLING AND STORAGE

7.1 Precautions for safe handling

Advice on safe handling Handle and open container in a manner as to prevent spillage. Use only in area provided with appropriate exhaust ventilation.

Hygiene measures Wash hands thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco, using the toilet or applying cosmetics. After each day's use, wash gloves, face shield or goggles and contaminated clothing. Remove Personal Protective Equipment (PPE) immediately after handling this product. Remove soiled clothing immediately and clean thoroughly before using again. Wash thoroughly and put on clean clothing.

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers Store in a cool, dry place and in such a manner as to prevent cross contamination with other crop protection products, fertilizers, food, and feed. Store in original container and out of the reach of children, preferably in a locked storage area.



Chipco® GT Fungicide

Version 1 / AUS
102000016226

5/11
Revision Date: 25.10.2016
Print Date: 25.10.2016

SECTION 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

8.1 Control parameters

Components	CAS-No.	Control parameters	Update	Basis
1,2-Propanediol (Total vapour and particulates.)	57-55-6	474 mg/m ³ /150 ppm (TWA)	12 2011	AU NOEL
1,2-Propanediol (Particulate.)	57-55-6	10 mg/m ³ (TWA)	12 2011	AU NOEL
Distillates (petroleum), solvent-refined light paraffinic	64741-89-5	5 mg/m ³ (TWA)	12 2011	AU NOEL

8.2 Exposure controls

Respiratory protection When respirators are required, select NIOSH approved equipment based on actual or potential airborne concentrations and in accordance with the appropriate regulatory standards and/or industry recommendations.

Hand protection Chemical resistant nitrile rubber gloves

Eye protection Chemical resistant goggles must be worn.

Skin and body protection Wear long-sleeved shirt and long pants and shoes plus socks.

General protective measures In normal use and handling conditions please refer to the label and/or leaflet. In all other cases the following recommendations would apply.

Engineering Controls

Advice on safe handling Handle and open container in a manner as to prevent spillage. Use only in area provided with appropriate exhaust ventilation.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties

Form	suspension
Colour	white to light beige
Odour	aromatic
Odour Threshold	No data available
pH	6.0 - 6.5 at 100 %
Flash point	>93.3 °C
Minimum ignition energy	No data available
Upper explosion limit	12 %(V)
Lower explosion limit	2.6 %(V)
Dust explosion class	Not applicable.



Chipco® GT Fungicide

Version 1 / AUS
102000016226

6/11
Revision Date: 25.10.2016
Print Date: 25.10.2016

Vapour pressure	No data available
Evaporation rate	Not applicable
Relative vapour density	No data available
Density	ca. 1.03 g/cm ³ at 20 °C
Water solubility	dispersible
Partition coefficient: n-octanol/water	No data available
Viscosity, dynamic	1,000 - 1,500 cps
Explosivity	No data available

SECTION 10. STABILITY AND REACTIVITY

10.1 Reactivity

Thermal decomposition No data available

10.2 Chemical stability Stable under recommended storage conditions.

10.3 Possibility of hazardous reactions No dangerous reaction known under conditions of normal use.

10.4 Conditions to avoid Elevated temperatures
Heat, flames and sparks.

10.5 Incompatible materials Strong acids, Strong bases, Strong oxidizing agents

10.6 Hazardous decomposition products No decomposition products expected under normal conditions of use.

SECTION 11. TOXICOLOGICAL INFORMATION

11.1 Information on toxicological effects

Acute oral toxicity LD50 (Rat) 4,619 mg/kg

Acute inhalation toxicity LC50 (Rat) > 0.8 mg/l
Exposure time: 4 h
Determined in the form of liquid aerosol.
Highest attainable concentration.
No deaths

LC50 (Rat) > 3.2 mg/l
Exposure time: 1 h
Determined in the form of liquid aerosol.
Extrapolated from the 4 hr LC50.

Acute dermal toxicity LD50 (Rat) > 2,000 mg/kg

Skin irritation slight irritation (Rabbit)

Eye irritation Minimally irritating. (Rabbit)



Chipco® GT Fungicide

Version 1 / AUS
102000016226

7/11

Revision Date: 25.10.2016
Print Date: 25.10.2016

Sensitisation Non-sensitizing. (Guinea pig)

Assessment mutagenicity

Iprodione was not mutagenic or genotoxic based on the overall weight of evidence in a battery of in vitro and in vivo tests.

Assessment carcinogenicity

Iprodione caused at high dose levels an increased incidence of tumours in the following organ(s): Liver, Testes. The mechanism that triggers tumours in rodents and the type of tumours observed are not relevant to humans.

Assessment toxicity to reproduction

Iprodione did not cause reproductive toxicity in a two-generation study in rats.

Assessment developmental toxicity

Iprodione caused developmental toxicity only at dose levels toxic to the dams. The developmental effects seen with Iprodione are related to maternal toxicity.

Assessment STOT Specific target organ toxicity – repeated exposure

Iprodione caused specific target organ toxicity in experimental animal studies in rats in the following organ(s): Adrenal gland.

Aspiration hazard

Based on available data, the classification criteria are not met.

Information on likely routes of exposure

May cause irritation of the mucous membranes.

Low acute dermal toxicity., Avoid contact with skin.

May cause eye irritation.

Ingestion of large amounts may be harmful (see Signs and Symptoms).

Early onset symptoms related to exposure

Refer to Section 4

Delayed health effects from exposure

Refer to Section 11

Exposure levels and health effects

Refer to Section 4

Interactive effects

Not known

When specific chemical data is not available

Not applicable

Mixture of chemicals

Refer to Section 2.1

Further information

Acute toxicity studies have been bridged from a similar formulation(s).

The non-acute information pertains to the active ingredient(s).



Chipco® GT Fungicide

Version 1 / AUS
102000016226

8/11
Revision Date: 25.10.2016
Print Date: 25.10.2016

SECTION 12. ECOLOGICAL INFORMATION

12.1 Toxicity

Toxicity to fish LC50 (Oncorhynchus mykiss (rainbow trout)) 4.1 mg/l
Exposure time: 96 h
The value mentioned relates to the active ingredient iprodione.

Toxicity to aquatic invertebrates EC50 (Daphnia magna (Water flea)) 0.25 mg/l
Exposure time: 48 h
The value mentioned relates to the active ingredient iprodione.

Toxicity to aquatic plants IC50 (Desmodesmus subspicatus (green algae)) 15.3 mg/l
Exposure time: 72 h
The value mentioned relates to the active ingredient iprodione.

12.2 Persistence and degradability

Biodegradability Iprodione:
Not rapidly biodegradable

Koc Iprodione: Koc: 202 - 543

12.3 Bioaccumulative potential

Bioaccumulation Iprodione: Bioconcentration factor (BCF) 70
Does not bioaccumulate.

12.4 Mobility in soil

Mobility in soil Iprodione: Moderately mobile in soils

12.5 Other adverse effects

Additional ecological information No further ecological information is available.

SECTION 13. DISPOSAL CONSIDERATIONS

Metal drums and plastic containers:
Triple or preferably pressure rinse containers before disposal. Add rinsings to spray tank. Do not dispose of undiluted chemicals on site. If recycling, replace cap and return clean containers to recycler or designated collection point. If not recycling, break, crush or puncture and bury empty containers in a local authority landfill. If no landfill is available, bury the containers below 500 mm in a disposal pit specifically marked and set up for this purpose clear of waterways, desirable vegetation and tree roots. Empty containers and product should not be burnt.

SECTION 14. TRANSPORT INFORMATION

ADG

UN number	3082
Transport hazard class(es)	9
Subsidiary Risk	None

Safety Data Sheet



Chipco® GT Fungicide

Version 1 / AUS
102000016226

9/11
Revision Date: 25.10.2016
Print Date: 25.10.2016

Packaging group	III
Description of the goods	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (IPRODIONE SOLUTION)
Hazchem Code	•3Z

According to AU01, Environmentally Hazardous Substances in packagings, IBC or any other receptacle not exceeding 500 kg or 500 L are not subject to the ADG Code.

IMDG

UN number	3082
Transport hazard class(es)	9
Subsidiary Risk	None
Packaging group	III
Marine pollutant	YES
Description of the goods	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (IPRODIONE SOLUTION)

IATA

UN number	3082
Transport hazard class(es)	9
Subsidiary Risk	None
Packaging group	III
Environm. Hazardous Mark	YES
Description of the goods	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (IPRODIONE SOLUTION)

SECTION 15. REGULATORY INFORMATION

Registered according to the Agricultural and Veterinary Chemicals Code Act 1994
Australian Pesticides and Veterinary Medicines Authority approval number: 50954

SUSMP classification (Poison Schedule)

Schedule 5 (Standard for the Uniform Scheduling of Medicines and Poisons)

SECTION 16. OTHER INFORMATION

Trademark information Chipco® is a registered trademark of the Bayer Group.

This SDS summarises our best knowledge of the health and safety hazard information of the product and how to safely handle and use the product in the workplace. Each user should read this SDS and consider the information in the context of how the product will be handled and used in the workplace including in conjunction with other products.

If clarification or further information is needed to ensure that an appropriate risk assessment can be made, the user should contact this company.

Our responsibility for products sold is subject to our standard terms and conditions, a copy of which is sent to our customers and is also available on request.



Chipco® GT Fungicide

Version 1 / AUS
102000016226

10/11
Revision Date: 25.10.2016
Print Date: 25.10.2016

Abbreviations and acronyms

ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road
ATE	Acute toxicity estimate
AU OEL	Australia. OELs. (Adopted National Exposure Standards for Atmospheric Contaminants in the Occupational Environment)
CAS-Nr.	Chemical Abstracts Service number
CEILING	Ceiling Limit Value
Conc.	Concentration
EC-No.	European community number
ECx	Effective concentration to x %
EINECS	European inventory of existing commercial substances
ELINCS	European list of notified chemical substances
EN	European Standard
EU	European Union
IATA	International Air Transport Association
IBC	International Code for the Construction and Equipment of Ships Carrying Dangerous Chemicals in Bulk (IBC Code)
ICx	Inhibition concentration to x %
IMDG	International Maritime Dangerous Goods
LCx	Lethal concentration to x %
LDx	Lethal dose to x %
LOEC/LOEL	Lowest observed effect concentration/level
MARPOL	MARPOL: International Convention for the prevention of marine pollution from ships
N.O.S.	Not otherwise specified
NOEC/NOEL	No observed effect concentration/level
OECD	Organization for Economic Co-operation and Development
OES BCS	OES BCS: Internal Bayer CropScience "Occupational Exposure Standard"
PEAK	PEAK: Exposure Standard - Peak means a maximum or peak airborne concentration of a particular substance determined over the shortest analytically practicable period of time which does not exceed 15 minutes.
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail
SK-SEN	Skin sensitiser
SKIN_DES	SKIN_DES: Skin notation: Absorption through the skin may be a significant source of exposure.
STEL	STEL: Exposure standard - short term exposure limit (STEL): A 15 minute TWA exposure which should not be exceeded at any time during a working day even if the eight-hour TWA average is within the TWA exposure standard. Exposures at the STEL should not be longer than 15 minutes and should not be repeated more than four times per day. There should be at least 60 minutes between successive exposures at the STEL.
TWA	TWA: Exposure standard - time-weighted average (TWA): The average airborne concentration of a particular substance when calculated over a normal eight-hour working day, for a five-day working week.
TWA	Time weighted average
UN	United Nations
WHO	World health organisation

Changes since the last version are highlighted in the margin. This version replaces all previous versions.

Safety Data Sheet



Chipco® GT Fungicide

Version 1 / AUS
102000016226

11/11

Revision Date: 25.10.2016

Print Date: 25.10.2016

END OF SDS