

**CAUTION**  
**KEEP OUT OF REACH OF CHILDREN**  
**READ SAFETY DIRECTIONS BEFORE OPENING OR USING**

# **AzaMax\***

## **Insecticide**

**ACTIVE CONSTITUENTS: 11.82 g/L AZADIRACHTIN A and B**  
**present as 29.55 g/L *azadirachta indica* extract**

<b>GROUP</b>	<b>22A</b>	<b>INSECTICIDE</b>
--------------	------------	--------------------

**For the control of two-spotted mites, aphids and whitefly in**  
**Floriculture and ornamentals**  
**and fungus gnats in potting soil**  
**as shown in the Directions for Use**

**CONTENTS: (1 L, 5 L, 10 L, 20 L)**

**BFA symbol**

Organic Crop Protectants Pty Ltd  
ACN 003 149 719  
42 Halloran St Lilyfield NSW 2040  
Telephone (02) 9810 4566  
Fax (02) 9810 4674 42

**Manufactured by:**  
EID Parry (India) Limited

**DIRECTIONS FOR USE**

**RESTRAINT:** DO NOT use on plants that produce food for human or animal consumption.

Crop/Situation	Pest	Rate	Critical Comments
Floriculture, Ornamentals	Two-spotted Mites Whitefly Aphids	200 mL to 300 mL per 100 L water	Use a 7 to 10 day spray regime when pests are present. Multiple applications (3-5) may be required. Use the higher rate under higher pest pressure. Spray volume will vary according to the crop and location. Apply in a spray volume of 250 to 500 L/ha, using a hand held wand or knapsack spray. Addition of a botanical oil concentrate adjuvant is recommended.
Potting soil (for floriculture and ornamentals only)	Fungus gnats	30 mL/10 L water	Apply as a soil drench using approximately 1 litre mixture per 8 litres potting soil.

**NOT TO BE USED FOR ANY PURPOSE, OR IN ANY MANNER, CONTRARY TO THIS LABEL UNLESS AUTHORISED UNDER APPROPRIATE LEGISLATION.**

**WITHHOLDING PERIOD (WHP): NOT REQUIRED WHEN USED AS DIRECTED.**

**GENERAL INSTRUCTIONS:**

AzaMax is a biologically derived product that is active on a broad spectrum of insect pests on a wide range of ornamental plants. Consistent applications are necessary during pest activity. Trials on sensitive plants such as ferns, poinsettias and African violets have resulted in crop damage. Minor phytotoxic effects have occurred in other species. Testing in a small area is therefore recommended before spraying to determine sensitive species and varieties.

**MIXING**

Half fill spray tank and commence agitation. Slowly add required amount of AzaMax. Top up with required quantity of water. Agitate well before commencing spray procedure.

**Insecticide Resistance Warning**

<b>GROUP</b>	<b>22A</b>	<b>INSECTICIDE</b>
--------------	------------	--------------------

For insecticide resistance management AzaMax Insecticide is a Group 22A insecticide. Some naturally occurring insect biotypes resistant to AzaMax Insecticide and other Group 22A insecticides may exist through normal genetic variability in any insect population. The resistant individuals can eventually dominate the insect population if AzaMax Insecticide or other Group 22A insecticides are used repeatedly. The effectiveness of AzaMax Insecticide on resistant individuals could be significantly reduced. Since occurrence of resistant individuals is difficult to detect prior to use, Organic Crop Protectants Pty Ltd accepts no liability for any losses that may result from the failure of AzaMax Insecticide to control resistant insects. AzaMax Insecticide may be subject to specific resistance management strategies. For further information contact your local supplier, Organic Crop Protectants Pty Ltd representative or local agricultural department agronomist,

**PROTECTION OF LIVESTOCK**

Dangerous to bees. DO NOT spray any plants in flower while bees are foraging.

**PROTECTION OF WILDLIFE, FISH, CRUSTACEANS AND ENVIRONMENT:**

Dangerous to aquatic invertebrates. DO NOT contaminate streams, rivers or waterways with the chemical or used containers.

**STORAGE AND DISPOSAL:** Store in the closed, original container in a cool, well-ventilated area. Do not store for prolonged periods in direct sunlight. Triple or preferably pressure rinse containers before disposal. Add rinsings to spray tank. Do not dispose of undiluted chemicals on site. If recycling, replace cap and return clean containers to recycler or designated collection point. If not recycling, break, crush or puncture and bury empty containers in a local authority landfill. If no landfill is available, bury the containers below 500 mm in a disposal pit specifically marked and set up for this purpose clear of waterways, desirable vegetation and tree roots. Empty containers and product should not be burnt.

**SAFETY DIRECTIONS**

Will irritate the eyes and skin. Avoid contact with eyes and skin. When opening the container and preparing product for use, wear elbow length PVC gloves. Wash hands after use. After each day's use wash gloves.

**FIRST AID:** If poisoning occurs, contact a doctor or Poisons Information Centre. Phone Australia 131126.

**MSDS:** Additional information is listed in the Material Safety Data Sheet.

**NOTE**

Because Organic Crop Protectants Pty Ltd has no control over handling, storage or use of AzaMax Insecticide, the company makes no express or implied representations or warranty (other than non-excludable statutory warranties). This product is sold on the condition that the buyer and/or user assumes all risks of the handling, use of AzaMax Insecticide and results obtained from its use.

\*Registered Trademark

**APVMA Approval No. 61980/**

**Batch No.**

**DOM**

**Bar Code**